

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51	@ad<="20010926" and (hopping adj (pattern sequence)) same signal adj2 strength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 13:35
L2	33	@ad<="20010926" and (hopping adj (pattern sequence)) same signal adj2 strength and(hand-off handover handoff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 15:51
L3	2	"6675015".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:07
L4	0	"6675015".pn. and hopping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:07
L5	1	"6675015".pn. and sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:07
L6	1	"6675015".pn. and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 14:07
L8	2	"6393261".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 15:52
L9	2	"20030035464".did. and hopping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 15:57
L10	2	"20030035464".did. and request same hopping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:04
L11	2	"20030035464".did. and assistance same hopping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:23

L12	1	"20030035464".did. and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 16:23
S1	0	wo01/20940.ptpn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/31 16:14
S2	0	"200120940".ptpn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/31 16:27
S3	0	wo0120940.ptpn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/31 16:28
S4	0	pctib0001299.pct.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/31 16:29
S5	5	@pd<"20010926" and handoff and base adj station same (hopping adj sequence) and cellular.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:00
S6	2	"6088591".pn. and LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 10:28
S7	0	"6088591".pn. and polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 10:16
S8	1	"6088591".pn. and handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 10:51
S9	1	"6088591".pn. and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 10:59

S10	1	"6088591".pn. and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 11:02
S11	1	"6088591".pn. and update same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 11:24
S12	2	"6088591".pn. and base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:22
S13	2	"6088591".pn. and base adj station same hopping adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 11:30
S14	2	"6088591".pn. and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 11:34
S15	1	"6088591".pn. and system and method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 11:34
S16	16	@pd<"20010926" and handoff and base adj station same (hopping adj sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:30
S17	0	@pd<"20010926" and handoff and (base adj station same (hopping adj sequence) same exchange)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 12:52
S18	53	@pd<"20010926" and (base adj station same (hopping adj sequence) same mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:01
S19	7	@pd<"20010926" and (base adj station same (hopping adj sequence) same mobile adj terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:21

S20	0	"6088591".pn. and signal same handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:22
S21	1	"6088591".pn. and handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:22
S22	0	"6088591".pn. and handoff near signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:22
S23	4632257	"6088591".pn. and handoff near\$3 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:23
S24	0	"6088591".pn. and handoff and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:23
S25	1	"6088591".pn. and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:23
S26	0	"6088591".pn. and signal and handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:24
S27	2	"6088591".pn. and (signal handoff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/03 13:24
S28	0	basestation same polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:36
S29	27	basestation and polling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:37

S30	37	basestation and poll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:37
S31	15	basestation same poll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:40
S32	0	basestation same poll and hopping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:38
S33	54	hopping same poll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:44
S34	38	hopping same poll and @ad<"20010926"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 11:44
S35	2	"6298053".pn. and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:02
S36	2	"6298053".pn. and poll\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:04
S37	0	"6298053".pn. and poll\$5 and master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 12:04
S38	9	(US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030139191-\$ or US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/05 12:05

S39	8	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030139191-\$ or US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.) and master	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 12:06
S40	6	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030139191-\$ or US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.) and master and hopping	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 12:08
S41	4	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030139191-\$ or US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.) and master and hopping and polling	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 12:08
S42	6	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030139191-\$ or US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.) and master and hopping and poll\$5	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 12:08
S43	1	(US-20010055281-\$).did.	US-PGPUB	OR	OFF	2004/03/05 12:37
S44	1	(US-20010055281-\$).did. and wireless	US-PGPUB	OR	OFF	2004/03/05 12:37
S45	1	(US-20010055281-\$).did. and wireless	US-PGPUB	OR	ON	2004/03/05 12:48
S46	1	(US-20010055281-\$).did. and hop\$5 adj sequence	US-PGPUB	OR	ON	2004/03/05 12:48
S47	8	(US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/05 13:25
S48	7	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.)and hopp\$5 same sequence	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 13:26

S49	5	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.)and hopp\$5 same sequence and poll\$6	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 13:38
S50	5	((US-5884214-\$ or US-6298053-\$ or US-5818828-\$ or US-5657317-\$). did. or (US-20030002442-\$ or US-20020159434-\$ or US-20010055281-\$).did. or (US-6088591-\$).did.)and hopp\$5 same sequence same poll\$6	US-PGPUB; USPAT; DERWENT	OR	ON	2004/03/05 13:39
S51	0	@pd<"20010926" and wireless and handoff and request near2 hop\$5 near2 (sequence code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 13:41
S52	1	@pd<"20010926" and wireless and handoff and request same hop\$5 near2 (sequence code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 13:42
S53	68	@pd<"20010926" and request same FHS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 13:43
S54	16	@pd<"20010926" and request same FHS and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:04
S55	5	@pd<"20010926" and HPR and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:03
S56	1	@pd<"20010926" and HSR and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:03
S57	5	@pd<"20010926" and request same FHS and "455".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:04

S58	35	@pd<"20010926" and Hopping near2 (sequence pattern) same request and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:05
S59	15	@pd<"20010926" and Hopping near2 (sequence pattern) near8 request and "375".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:06
S60	3	@pd<"20010926" and handoff and master same (hopping adj (sequence pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 14:39
S61	9	@pd<"20010926" and handoff and base adj1 station same (hopping adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 15:00
S62	41	@pd<"20010926" and (handover hand-off) and base adj1 station same (hopping adj (pattern sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 15:02
S63	12	@pd<"20010926" and (handover hand-off) and base adj1 station same (hopping adj (pattern sequence)) and poll\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 15:16
S64	1	"5949776".pn. and sync	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 15:18
S65	1	"5949776".pn. and Reservation adj Poll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 15:18
S66	14	@pd<"20010926" and (handover hand-off) and base adj1 station same (hopping adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:00
S67	22	@ad<"20010926" and (handover hand-off) and base adj1 station same (hopping adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:08

S68	85	@ad<"20010926" and (hopping adj (pattern sequence)) same acquisition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:12
S69	181	@ad<"20010926" and (hopping adj (pattern sequence)) same (acquisition request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:12
S70	86	@ad<"20010926" and (hopping adj (pattern sequence)) near5 (acquisition request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:14
S71	18	@ad<"20010926" and (hopping adj (pattern sequence)) near5 (acquisition request) and master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:35
S72	159	@ad<"20010926" and (hopping adj (pattern sequence)) and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:36
S73	6	@ad<"20010926" and (hopping adj (pattern sequence)) same request and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:36
S74	11	@ad<"20010926" and (hopping adj (pattern sequence)) same (request aquisition poll\$5) and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:36
S75	11	@ad<"20010926" and (hopping adj (pattern sequence)) same (request aquisition poll\$5) and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/05 16:44
S76	40	@ad<"20010926" and (hopping adj (pattern sequence)) same (request aquisition poll\$5) and (hand-off handover handoff)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/30 13:33
S77	6759	"6088591".pn. handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 13:38

S78	1	"6088591".pn. and handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 13:39
S79	0	"6088591".pn. and handover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 13:39
S80	1	"6088591".pn. and complet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 13:43
S81	1	"6088591".pn. and complet\$5 and hopping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 13:56
S82	1	"6088591".pn. and registration adj request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:08
S83	0	"6088591".pn. and basestation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:08
S84	2	"6088591".pn. and base adj1 station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:10
S85	1	"6088591".pn. and base adj1 station same regist\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:13
S86	1	"6088591".pn. and base adj1 station same regist\$7 same beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:22
S87	1	"6088591".pn. and base adj1 station same beacon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:31

S88	1	"6088591".pn. and base adj1 station same beacon and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:31
S89	1	"6088591".pn. and base adj1 station same beacon same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:37
S90	1	"6088591".pn. and "452"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 14:40
S91	1	"6088591".pn. and base adj1 station same previous\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/08 11:23
S92	1	"6088591".pn. and "310"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/06 15:04
S93	0	"6088591".pn. and hopping adj sequence same adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/08 11:29
S94	1	"6088591".pn. and hopping adj sequence same change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/08 11:31
S95	2	"6088591".pn. and hopping adj sequence same base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/08 12:03
S96	1	"6088591".pn. and hopping adj sequence same mobile adj terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/08 12:03